

► These questions are still hard to answer on the basis of the available studies, yet they were the motivation for the legislative process that decriminalised euthanasia in the Benelux countries.

©Prescrire

Selected references from Prescrire's literature search.

- 1- Regionale toetsings commissies euthanasie "Jaarverslag 2011": 76 pages.
- 2- "Loi du 28 mai 2002 relative à l'euthanasie (M.B. 22 juin 2002)". www.health.belgium.be/euthanasie accessed 25 November 2012: 7 pages.
- 3- Commission nationale de contrôle et d'évaluation de la loi du 16 mars 2009 sur l'euthanasie et l'assistance au suicide "Premier rapport à l'attention de la Chambre des députés (Années 2009 et 2010)" 1 March 2011: 70 pages.
- 4- Leleu YH and Génicot G "L'euthanasie en Belgique et aux Pays-Bas, variations sur le thème de l'autodétermination" *Rev Trim Dr H* 2004; **57**: 5-50.
- 5- Griffiths J et al. "Euthanasia and Law in Europe" Hart Publishing, Oxford and Portland Oregon 2008: 595 pages.
- 6- Massion J "L'exception euthanasique en droit belge (loi du 28 mai 2002, MB du 22.06.2002)" *Louvain Médical* 2005; **124** (7): 238- 245.
- 7- Commission fédérale de contrôle et d'évaluation de l'euthanasie "Cinquième rapport aux chambres législatives (années 2010-2011)": 59 pages.
- 8- "Record d'euthanasies en Belgique, où son extension aux mineurs fait débat", AFP news agency, 7 February 2012: 1 page.
- 9- Commission fédérale de contrôle et d'évaluation de l'euthanasie "Premier rapport aux chambres législatives (22 septembre 2002 - 31 décembre 2003)": 43 pages.
- 10- "Le forum EOL", undated; www.admd.be accessed 26 January 2013: 20 pages.
- 11- Onwuteaka-Philipsen BD et al "Trends in end-of-life practices before and after the enactment of the euthanasia law in the Netherlands from 1990 to 2010: a repeated cross-sectional survey" *Lancet* 2012; **380** (9845): 9 pages.
- 12- Bilsen J et al. "Medical end-of-life practices under euthanasia law in Belgium" *N Engl J Med* 2009; **361** (11): 1119-1121.
- 13- Chambaere K et al. "Physician-assisted deaths under the euthanasia law in Belgium: a population-based survey" *CMAJ* 2010; **182** (9): 895-901.
- 14- Smets T et al. "Reporting of euthanasia in medical practice in Flanders, Belgium: cross sectional analysis of reported and unreported cases" *BMJ* 2010; **341**, c5174: 8 pages.
- 15- "Loi relative au droit des patients du 22 août 2002" ejustice.just.fgov.be accessed 22 July 2013: 8 pages.
- 16- Regionale toetsings commissies euthanasie "Jaarverslag 2010": 76 pages.
- 17- "Proposition de loi modifiant la loi du 28 mai 2002 relative à l'euthanasie" tabled by Philippe Mahoux on 10 January 2013, Sénat de Belgique session 2012-2013, document 5-1919/1: 11 pages.
- 18- "Proposition de loi concernant l'extension aux mineurs de la loi du 28 mai 2002 relative à l'euthanasie, l'assistance médicale au patient qui met lui-même fin à sa vie ainsi que la création et la pénalisation des infractions d'incitation et d'assistance au suicide" tabled by Elke Sleurs and others on 28 January 2013, Sénat de Belgique session de 2012-2013, document 5-1947/1: 10 pages.
- 19- "Population de droit par commune au 1 janvier 2012". statbel.fgov.be accessed 5 August 2013.
- 20- Van Wesemael Y et al. "Process and outcomes of euthanasia requests under the Belgian act on euthanasia: a nationwide survey" *J Pain Symptom Manage* 2011; **42**: 721-733.

Translated from *Rev Prescrire* Septembre 2013; **33** (359): 693

Too much medicine

Through the ages, medicine has helped increase human life expectancy, as have access to safe drinking water and improvements in sanitation, housing conditions, diet and levels of education. But today, at least in the wealthiest countries, more health care does not always mean better health (1).

Too many unjustified interventions. The Federation of French Hospitals has published the results of a survey on unnecessary medical tests and treatments, conducted in 2012 among 803 doctors (402 hospital-based doctors, 201 office-based specialists and 200 GPs) (2).

Overall, the doctors considered that only 72% of medical tests or treatments are justified. They felt that the main reason for unjustified tests and treatments is patient demand (85%), followed by the fear of legal action (58%), shortcomings in medical training (39%), lack of clinical practice guidelines (37%), the lack of regulation of medical practices (27%), and financial incentives (20%) (2).

According to another survey conducted in 2012 in France among a representative sample of the general population (1006 participants), 75% of respondents reported that when they consult a doctor it is mainly to get advice or a medical opinion, while 62% hope to obtain a prescription for drugs. 28% of respondents often thought afterwards that the consultation had been unnecessary (3).

Too many harmful interventions.

The *British Medical Journal* launched the "Too much medicine" campaign in 2013, to draw attention to the threat to health posed by overdiagnosis and overtreatment and the waste of public resources they represent (1): "the movement to combat medical excess in wealthier nations embodies a much older desire to avoid doing harm when we try to help or heal" (1). Similar initiatives have been launched, for example by the *Journal of the American Medical Association (JAMA)*, which regularly publishes articles in its "Less is more" series (4).

In summary. Too many unnecessary interventions and too many harmful interventions: it is becoming increasingly obvious that, faced with the vast array of diagnostic techniques and therapies available, health professionals need to know when not to use them, how to use them well, and when to "deprescribe" (5). It's a worthwhile challenge, and one in which patients should be involved.

©Prescrire

Selected references from Prescrire's literature search.

- 1- Moynihan R et al. "Winding back the harms of too much medicine" *BMJ* 2013; **346**: f1271: 2 pages.
- 2- Fédération hospitalière de France "Les médecins face aux pratiques d'actes injustifiés" 2012: 10 pages.
- 3- Mondial Assistance "La relation des Français au médecin et au médicament" May 2012: 14 pages.
- 4- Katz MH et al. "Undertreatment improves, but overtreatment does not" *JAMA* 2013; **173** (2): 93.
- 5- Montastruc JL "Prescribe, but also know how to deprescribe" *Prescrire Int* 2013; **22** (140): 192.