

to improve patient care can help by learning to assess the quality of packaging items, reporting poorly designed drug packaging, and providing information and advice to their patients, thus reducing the risk of medication errors.

©Prescrire

.....
Selected references from Prescrire's literature search.

- 1- Prescrire Editorial Staff "Drug packaging in 2009: a few advances" *Prescrire Int* 2010; **19** (107): 135-137.
- 2- Prescrire Editorial Staff "Packaging of pharmaceuticals: still too many dangers but several encouraging initiatives" *Prescrire Int* 2007; **16** (89): 126.
- 3- Afssaps "Commission nationale de Pharmacovigilance - Compte rendu de la réunion du mardi 25 mai 2010" 6 July 2010: 6-14.
- 4- Prescrire Rédaction "Toux gênantes" *Rev Prescrire* 2008; **28** (299): 676-677.
- 5- Prescrire Rédaction "Médicaments de la toux et rhume: effets indésirables trop graves face à des troubles bénins" *Rev Prescrire* 2009; **29** (312): 751-753.
- 6- Prescrire Rédaction "AINS topiques: gare en cas de grossesse" *Rev Prescrire* 2008; **28** (299): 664.
- 7- Prescrire Rédaction "Gare aux AINS en deuxième partie de grossesse" *Rev Prescrire* 2007; **26** (270): 188-191.
- 8- Prescrire Rédaction "Infos-patients - Pas d'anti-inflammatoire pendant la grossesse" www.prescrire.org: 1 page.



Editors' opinion

Regulatory agencies and companies must take packaging more seriously

Everything that is needed to produce safe and convenient drug packaging is already available on the market (see opposite), yet the quality of most packaging remains mediocre. As a result, some products carry a risk of potentially dangerous medication errors.

Guidelines needed. Guidelines are needed for packaging safety, including: quality criteria for unit-dose packaging; the design of dosing devices; safety guidelines for dangerous substances; careful use of colour on the labelling in order to distinguish between different dose strengths belonging to the same product line; specific recommendations for paediatric drug packaging; and key information for patients, according to the nature of the medication, its indications, route of administration, pharmaceutical form, and devices for preparation and administration.

Existing guidelines tend to focus on administrative requirements and cost rather than on the quality of patient care. For example, European recommendations on the expression of drug concentrations and dose strengths exist solely for administrative purposes, not to

help health professionals and patients use drugs correctly (1).

More stringent controls. Some drugs with dangerous packaging still reach the market despite controls put in place by European or national regulatory authorities and pharmacovigilance committees. The French Transparency committee is supposed to weigh the advantages and disadvantages of new drugs relative to existing products; this includes the packaging. Ineffective controls create an unacceptable risk of confusion and medication errors in practice.

Making drug packaging safer and more convenient to use is a means of improving the quality of health care. Regulatory agencies and drug companies must take this issue more seriously.

©Prescrire

Rev Prescrire 2011; **31** (328): 145.

-
- 1- European Medicines Agency "QRD Recommendations on the expression of strength in the name of centrally authorised human medicinal products" 18 November 2009 + "Submission of comments - Comments from International Medication Safety Network" 28 May 2009: 5 + 9 pages.



Coming soon...

NEW PRODUCTS

- Fingolimod
- Sublingual 5-grass pollen mix
- Atazanavir in children
- Dexamethasone intravitreal implant

ADVERSE EFFECTS

- Fatal adverse events during hospital stays
- Tamoxifen and CYP 2D6 inhibitors: caution
- Tadalafil: visual and auditory disorders

REVIEWS

- Seasonal influenza vaccination of the elderly
- Retinal vein occlusion
- Ivabradine in heart failure: no better than optimised beta-blocker therapy

Outlook

- HIV infected patients: victims of the financial crisis
- Measuring survival time
- Astellas' lawsuit against Prescrire